

VAN TOURER



COMPARABLY BETTER

from **64,395**


TECHNICAL DATA / PRICE LIST

FIAT

Valid from 16.03.2026

EDITION 2/2026 – UK

VANTOURER FIAT



| TECHNICAL DATA | 540 D | 600 D | 600 L | 630 L |
|---|---------|---------|---------|---------|
| Length in cm | 541 | 599 | 599 | 636 |
| Width in cm (exterior/interior) | 205/187 | 205/187 | 205/187 | 205/187 |
| Height in cm (exterior/interior) | 258/190 | 258/190 | 258/190 | 258/190 |
| Wheelbase (mm) | 345 | 403 | 403 | 403 |
| Turning circle (m) | 12.4 | 14.2 | 14.2 | 14.2 |
| Permitted number of passengers when travelling | 4 | 4 | 4 | 4 |
| Seats with 3-point seatbelts | 4 | 4 | 4 | 4 |
| Berths | 2 | 2 | 2 | 2 |
| Additional berths: | | | | |
| Guest bed at the seating area | 1 | 1 | 1 | 1 |
| Extra bed in combination with fold-down bed in the rear | 2 | 2 | 2 | 2 |
| Bed in the pop-up roof | 2 | 2 | 2 | - |

| Fiat Ducato | 2.2i Multijet3 140 / 180 | | | |
|--|-----------------------------------|-----------------------|-----------------------|-----------------------|
| Power | 103 kW (140 HP) / 132 kW (180 HP) | | | |
| Max. torque 6-speed gearbox (standard) | 350 / 380 Nm | | | |
| Max. torque 8-speed automatic transmission (option) | 380 / 450 Nm | | | |
| Maximum authorised laden mass (kg) ^{1/2} | 3,500 | 3,500 | 3,500 | 3,500 |
| Mass in running order (kg) ^{1/3} | 2,660 (2,527 - 2,793) | 2,810 (2,669 - 2,950) | 2,810 (2,669 - 2,950) | 2,990 (2,840 - 3,139) |
| Maximum mass of the additional equipment (kg) ¹ | 515 | 360 | 360 | 176 |
| Minimum payload (kg) ¹ | 94.1 | 99.9 | 99.9 | 103.6 |
| Towed load unbraked/braked (kg) | 750/2,500 | 750/2,500 | 750/2,500 | 750/2,500 |
| EURO 6e incl. particulate filter and AdBlue | X | X | X | X |
| Free "Camper Assistance" with breakdown service (24/7) | X | X | X | X |

¹Legal and technical information on the subject of "vehicle weights" can be found on page 11 of this price list. | ²The stated weight is the maximum authorised laden mass. | ³Incl. indication of production-related tolerances of +/- 5%. | ⁴Engine option only available in combination with automatic transmission at extra cost (mandatory combination).

VANTOURER PRICES FIAT

| Recommended retail price | 540 D | 600 D | 600 L | 630 L |
|---|--------|--------|--------|--------|
| Fiat 2.2i Multijet3 140 (103 kW/140 HP), Right Hand Drive | 64,395 | 66,095 | 67,095 | 68,795 |
| Surcharges for motorization | | | | |
| Fiat 2.2i Multijet3 180 (132 kW/180 HP) ⁴ | - | 2,735 | 2,735 | 2,735 |

We charge a standard fee of 3,300 for preliminary freight, certificate of title, gas test in Germany and UK RFL, this is already included in the base retail price. All prices in pounds, valid for the UK market are converted at a monthly assessed guidance rate and all prices include UK VAT at the current rate of 20% and are subject to change. Deposits will secure the exchange rate and price.

Important note: The seller is legally obliged to apply the VAT rate valid at the time of vehicle delivery (= service provision) to the purchase price. Changes in the VAT rate between the conclusion of the purchase contract and delivery of the vehicle therefore lead to a change in the VAT amount owed by the purchaser and to this extent to a subsequent change in the agreed gross purchase price.



VANTOURER STANDARD EQUIPMENT **FIAT**

| VANTOURER STANDARD EQUIPMENT | | | | |
|---|-----------|-----------|-------------------|-------------------|
| Chassis | 540 D | 600 D | 600 L | 630 L |
| 15" steel rims (215/70 R15 C; 6J X 15") | X | X | X | X |
| ABS, ESC, ASR, Hill Holder | X | X | X | X |
| Cup holders in the center console for two 0.75 l bottles | X | X | X | X |
| Covered turning console for driver and co-driver seats | X | X | X | X |
| Electric window lifter | X | X | X | X |
| Driver and passenger airbags | X | X | X | X |
| Height-adjustable driver and co-driver seats | X | X | X | X |
| Fuel tank 60 l | X | X | X | X |
| Standard daytime running lights | X | X | X | X |
| Power-assisted steering | X | X | X | X |
| Original lashing rings in the rear floor | X | X | X | X |
| Electronic immobiliser | X | X | X | X |
| Central locking with remote control | X | X | X | X |
| Fix and go kit (instead of spare wheel) | X | X | X | X |
| Living/Sleeping | 540 D | 600 D | 600 L | 630 L |
| Pop-out windows with push button locks | X | X | X | X |
| Side windows at the rear driver's side/passenger side | -/- | -/option | X/X | X/X |
| Roof hatch 40 x 40 cm (bed area), 70 x 50 cm (living area) | X | X | X | X |
| Electric entry step 700 mm (retracts when the engine starts) | X | X | X | X |
| Step to the rear bed | X | X | X | X |
| Insulating windows with blackout blind and fly screen | X | X | X | X |
| Cold bridge optimized insulation on side walls, ceiling and hatchback | X | X | X | X |
| Hatches and doors with handles, push locks and stable furniture hinges | X | X | X | X |
| Overhead storage compartments with raised edges and height-adjustable shelving | X | X | X | X |
| Automotive upholstery in an imitation leather-fabric combination with visible seams (cab seats and dinette bench) | X | X | X | X |
| Fully extending drawers and stable furniture rails | X | X | X | X |
| Bed dimensions for the rear bed in cm | 194 x 140 | 194 x 140 | 180 x 95/200 x 95 | 190 x 95/200 x 95 |

| VANTOURER STANDARD EQUIPMENT | | | | |
|---|--------|--------|--------|--------|
| Electronics | 540 D | 600 D | 600 L | 630 L |
| Onboard battery AGM 95 Ah | 1 x | 1 x | 1 x | 1 x |
| Onboard controls with display for electricity/water/ battery | X | X | X | X |
| Interior lighting completely in 12 V (LED version, exception: entrance light and luggage compartment) | X | X | X | X |
| 2 LED lights in the rear, with USB charging socket (omitted with lift bed) | X | X | X | X |
| Power outlets 1 x 230 V/2 x 12 V/3 x USB Power socket | X | X | X | X |
| Power supply: 230 V Euro exterior outlet with FI, 230 V and 12 V | X | X | X | X |
| Gas, heating, water | 540 D | 600 D | 600 L | 630 L |
| Wastewater tank (volume in litres), underfloor | 85 | 85 | 85 | 85 |
| Maximum capacity of the fresh water tank (volume in litres) (recommended driving filling limited by overflow valve to 20 l, installation situation varies depending on model) | 100/20 | 100/20 | 100/20 | 100/20 |
| Gas system in the safety container for gas storage in cylinders (Campingaz type R 907 2.75 kg) | X | X | X | X |
| Truma diesel central heating (incl. 12 l hot water preparation) | D 6 | D 6 | D 6 | D 6 |
| Hot water distribution with connections in kitchen and bathroom | X | X | X | X |
| Kitchen area | 540 D | 600 D | 600 L | 630 L |
| 2-burner gas cooker with piezo ignition and integrated stainless steel sink, including separate folding glass cover | X | X | X | X |
| Compressor refrigerator with double door (volume in litres/freezer) | 90/7,5 | 90/7,5 | 90/7,5 | 90/7,5 |
| Cutlery drawer | X | X | X | X |
| Bathroom, sanitary | 540 D | 600 D | 600 L | 630 L |
| Vario bathroom with extended shower tray and insert | X | X | X | X |
| Thetford cassette toilet with high-quality scratch-resistant ceramic inlay (Thetford separation toilet optional on request from your VANTourer dealer) | X | X | X | X |
| Bathroom window with blind and roof ventilator on the ceiling (omission of mushroom vent for pop-up roof) | X | X | X | X |

X Standard equipment
 – Technically not available

VANTOURER OPTIONS **FIAT**

| VANTOURER OPTIONS | + kg | Price |
|---|---------|-------|
| Solid paint (white) | – | 0.00 |
| Metallic paintwork (artense grey metallic, fer grey metallic, black metallic) | 2 | 800 |
| Paintwork special colour (lanzarote grey, campovolo grey) | 2 | 615 |
| Maxi chassis 3.5 t (not 540 D) | 50 | 615 |
| Full LED front lighting (low beam, high beam and indicator) | – | 945 |
| 8 gear automatic transmission | 35 | 3,480 |
| 90 l fuel tank | 13 | 95 |
| Rain and light sensor | 1 | 310 |
| Electric parking brake | -9 | 555 |
| Keyless (Entry&Go) (not in conjunction with bow conversion) | 1 | 565 |
| Heated windscreen | 1 | 310 |
| Seat heating for driver and front passenger seats | 1 | 745 |
| LED reading lights above driver and passengers seat | 1 | 125 |
| Heating element Truma Combi E 220V | 1 | 1,190 |
| Waste water tank insulated (ventilated with hot air when heating is on) | 2 | 340 |
| 2nd onboard battery | 24 | 475 |
| Lithium-ion onboard battery (instead of standard battery) | -12 | 1,225 |
| Additional lithium-ion onboard battery (as 2nd onboard battery) (only possible in combination with lithium-ion onboard battery as series battery) | 12 | 1,455 |
| Individual seats with Isofix child restraint (depending on the size of the child seats, only one Isofix mount can be used) | 30 | 1,795 |
| Panel windows Dometic Seitz S7P | – | 965 |
| Awning | 28 - 31 | 1,225 |
| Guest bed with foam cushions, bed dimensions approx. 180 x 60 cm (for 540 D/600 L with reduced table width) | 11 | 285 |
| Fold-down bed rear (instead of fixed rear bed, mattress size differs from standard bed.) | 20 | 1,180 |
| Extra bed under fold-down bed (only in conjunction with fold-down bed, mattress size differs from standard bed) | 20 - 30 | 565 |
| Rear side window, passenger side (600 D only) | 5 | 370 |
| Ambiance lighting dimmable incl. rain gutter above sliding door (incl. LED lighting) | 1 | 645 |
| Inductive smartphone charging function in the pop-up roof | – | 145 |
| Cab-over conversion with panorama window and folding jacket storage (not possible in conjunction with pop-up roof) | -10 | 2,265 |
| Cab-over conversion without panorama window, with folding jacket storage (possible in conjunction with pop-up roof) | -10 | 970 |
| Without shower tray in the hallway | – | 0.00 |
| Connection box for outdoor shower at rear passenger side, incl. flexible hose with hand shower head | 4 | 295 |

VANTOURER PACKAGES **FIAT**

| STANDARD PACKAGE 2026 (Already included in the basic price) | Price |
|---|-------------|
| Fuel tank 60 l | |
| Headlight trims in black | |
| Grip Control incl. Hill Descent Control (intelligent electronic differential traction+) | |
| All-season tyres | |
| Electrically adjustable and heated exterior mirrors | |
| Preparing the trailer coupling | |
| Original Fiat captain's chairs, swivel, with adjustable armrests | |
| Pre-wiring SAT | |
| Pre-wiring for rear view camera | |
| USB charging socket in cab | |
| Manual air conditioning in cab | |
| Cooling compartment for 1.5 l bottle | |
| Temp control | |
| Charging booster for body battery | |
| Start & stop system incl. smart alternator (220 A) | |
| Price STANDARD PACKAGE 2026 | 0.00 |

| COMFORT PACKAGE (Components of the package cannot be ordered individually) | + kg | Price |
|--|-----------|--------------|
| Radio preparation with loudspeakers in the cab | | |
| DAB aerial | | |
| Pre-wiring for solar (PV) | | |
| REMIS cab darkening for front and side windows | | |
| Flyscreen door on the sliding door | | |
| Leather steering wheel with leather gear knob | | |
| Steering wheel remote control | | |
| Bag(s) in the bed area (1 x for 540 D/600 D, 2 x for 600 L/630 L) | | |
| Table with swing-out table extension | | |
| 2 Isofix child safety seats for the bench seat (depending on the size of the child seats, only one Isofix bracket can be used) | | |
| Bench seat can be pulled out to the side for a more comfortable seating position | | |
| 2 coat hooks in the bed area | | |
| Silver Techno Trim dashboard | | |
| Truma CP-Plus control panel | | |
| Additional power sockets 2 x 230 V / 1 x 12 V | | |
| 16" alloy wheels for standard tyres | | |
| Price COMFORT PACKAGE | 40 | 3,480 |

VANTOURER OPTIONS **FIAT**

| PRIME PACKAGE (Not all components of the package can be ordered individually) | + kg | Price |
|---|-------------|--------------|
| Tyre pressure monitoring system | | |
| Front bumper painted in vehicle colour | | |
| Skid plate / spoiler lip (only for Light Chassis) | | |
| Automatic air conditioning cab with pollen filter | | |
| 10" infotainment system, including DAB, navigation and rear view camera | | |
| Inductive smartphone charging function | | |
| Fog lights with cornering light | | |
| Automatic transmission | | |
| Virtual cockpit | | |
| Electric parking brake | | |
| Safety package Co Driver (autonomous lane departure warning system, traffic sign recognition, automatic high beam control, rain and light sensor, intelligent speed assistant, emergency brake assistant with pedestrian detection, fatigue detection, adaptive cruise control including follow-to-stop function) | | |
| Price PRIME PACKAGE | -5 | 9,415 |

| ROOF PACKAGE (Vehicle height: + approx. 20 cm, not possible in 630 L, solar preparation omitted) | + kg | Price |
|---|-------------|--------------------|
| Pop-top roof with mosquito net and darkening - white/lava grey | | |
| Access ladder | | |
| Reading lights | | |
| Comfort bed (mattress size 200 x 130 x 6 cm) | | |
| Roof hatch incl. fly screen and blackout blind | | |
| LED lighting in the entire pop-top roof | | |
| USB charging socket | | |
| Air vent | | |
| Price ROOF PACKAGE | 163 | 6,120/6,590 |

| SAFETY PACKAGE PLUS (Components of the package cannot be ordered individually) | + kg | Price |
|---|-------------|--------------|
| Safety package (consisting of: Emergency Brake Assist with pedestrian detection, Lane Keeping Assist, Traffic Sign Recognition, Rain and Light Sensor, Auto Dimming, Intelligent Speed Assist, Driver Drowsiness Detection) | | |
| Adaptive cruise control | | |
| Tire pressure monitoring system TPMS | | |
| Price SAFETY PACKAGE PLUS | 2 | 1,690 |

VANTOURER PACKAGES **FIAT**

| INFOTAINMENT PACKAGE (Not all components of the package can be ordered individually) | + kg | Price |
|---|-------------|--------------|
| Automatic air conditioning cab with pollen filter | | |
| Inductive smartphone charging function | | |
| 10" infotainment system, including DAB, navigation and rear view camera | | |
| Virtual cockpit | | |
| Price INFOTAINMENT PACKAGE | 2 | 2,350 |

| WINTER PACKAGE | + kg | Price |
|------------------------------------|-------------|--------------|
| Seat heater | | |
| Heating element Truma Combi E 220V | | |
| Insulated waste water tank | | |
| Price WINTER PACKAGE | 4 | 2,065 |

| DESIGN PACKAGE (Not all components of the package can be ordered individually) | + kg | Price |
|---|-------------|--------------|
| Front fog lights | | |
| Front bumper painted in vehicle colour | | |
| Skid plate / spoiler lip (only with Light Chassis) | | |
| LED reading lights above driver and passengers seat | | |
| Ambiance lighting dimmable incl. rain gutter above sliding door (incl. LED lighting) | | |
| Price DESIGN PACKAGE | 4 | 1,405 |

| PARKING PACKAGE (Components of the package can be ordered individually) | + kg | Price |
|--|-------------|--------------|
| Electrically folding exterior mirrors | | |
| Rear parking sensors | | |
| Price PARKING PACKAGE | 2 | 550 |

VANTOURER OPTIONS **FIAT**

| ASSISTANCE PACKAGE (Components of the package cannot be ordered individually) | + kg | Price |
|--|-------------|--------------|
| Electrically folding exterior mirrors | | |
| Rear parking sensors | | |
| Blind spot assistant with lateral movement assistant | | |
| Price ASSISTANCE PACKAGE | 2 | 1,085 |

| ASSISTANCE PACKAGE PLUS (Only in conjunction with Infotainment or Prime package; components of the package cannot be ordered individually) | + kg | Price |
|---|-------------|--------------|
| Blind Spot Assist with lateral movement assistant | | |
| 360° parking sensors | | |
| Electrically folding exterior mirrors | | |
| Digital rear-view mirror | | |
| Price ASSISTANCE PACKAGE PLUS | 2 | 2,120 |

| HIGHLIGHT PACKAGE (Components of the package cannot be ordered individually) | + kg | Price |
|--|-------------|--------------|
| Insulated waste water tank | | |
| Awning | | |
| Frame window | | |
| Ambiance lighting dimmable incl. rain gutter above sliding door (incl. LED lighting) | | |
| LED reading lights | | |
| Price HIGHLIGHT PACKAGE | 34 | 2,630 |

| WILD EDITION PACKAGE | + kg | Price |
|--|-------------|--------------|
| Special Wild Edition wrap with free personalisation option | | |
| Passenger protection bar black | | |
| Fender flares: PU material, front & rear | | |
| 18" black alloy wheels incl. off-road tyres (AT) | | |
| Black wheel bolts | | |
| Price WILD EDITION PACKAGE | 50 | 4,235 |

IMPORTANT NOTES ON THE WEIGHTS

Important technical and legal information on vehicle configuration and weight-related information

Every vehicle in public road traffic is only approved for a certain maximum weight. This maximum don't have to be exceeded under any circumstances when driving. Therefore, when configuring your vehicle and selecting additional equipment ("packages" and "options") from our range, the technical and legal requirements for the weight of your vehicle must be particularly observed.

Commission Implementing Regulation (EU) 2021/535 of 31 March 2021 (until 06/2022: Commission Regulation (EU) No. 1230/2012 of 12 December 2012) contains the legal requirements for the weight of your vehicle. The following explanations and information from EuroCaravanning GmbH & Co. KG are based on this regulation in order to inform you as comprehensively as possible about the weight-related information listed within the scope of the configuration. Please read the following explanations and notes on weight-related information carefully before configuring and ordering your vehicle. Our trade partners will be happy to assist you with the selection and configuration of your vehicle.

I. TERMINOLOGY

1. Maximum authorised laden mass

The "maximum authorised laden mass" of the vehicle is entered in the registration certificate part I, more precisely under point F.1. With this information, the manufacturer indicates the maximum weight that your vehicle may weigh when loaded (e.g. 3,500 kg). It is not permitted to exceed this weight limit while driving, as this is punishable by fines in many European countries.

In Germany, exceeding the maximum authorised laden mass can be punished as an administrative offence with a fine. We recommend that you weigh your vehicle before each journey and ensure that the maximum authorised laden mass is not exceeded. It is the responsibility of the vehicle owner to ensure compliance with the maximum authorised laden mass. In the technical data, the maximum authorised laden mass is stated for each floor plan.

2. Mass in running order

"Mass in running order" means the mass of the vehicle with bodywork and standard factory equipment ("basic equipment" or "standard equipment"), including the fuel tank filled to 90 % of its capacity and operating fluids such as greases, oils and coolants, 100 % full gas cylinders, tools and tyre puncture assistance, plus the driver's mass calculated at a flat rate of 75 kg.

In the technical data, the "mass in running order" is given for each floor plan. The following items are included in the mass in running order:

- the unladen weight of the vehicle including the bodywork, including operating fluids such as greases, oils and coolants, tools and tyre puncture assistance;
- the factory standard equipment; i.e. the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require any further specifications at the configuration or equipment level;
- the fresh water tank filled to 100% in driving mode (The capacity of the fresh water tank in the VANTourer is limited to 20 litres in driving mode.) and an aluminium gas bottle filled to 100 % with a weight of 8 kg;
- the fuel tank filled to 90 % including fuel;
- the driver, whose weight is calculated at a flat rate of 75 kg.

Please note that the "mass in running order" figures in the technical data are calculated nominal values which are subject to production-related tolerances of up to ± 5%. These legally permissible tolerances can have a direct effect on the actual mass of your vehicle and thus also on the payload or remaining payload. It is therefore highly advisable to take these tolerances into account when configuring your vehicle.

3. The actual vehicle mass

The "actual vehicle mass" refers to the mass of the vehicle in running order, including the mass of factory-fitted optional equipment specifically configured for a particular vehicle.

4. The mass of the driver and the passengers

The "mass of the driver" is calculated as a flat rate of 75 kg – regardless of the actual weight of the driver – and is already included in the mass in running order. Therefore, it is not taken into account when calculating the mass of the authorised passengers.

The "mass of passengers" is also calculated as a flat rate of 75 kg per passenger – regardless of their actual weight. For example, the "mass of passengers" for a vehicle with a 4 passenger registration when driving is 225 kg in total (3x 75 kg).

In the technical data, the permissible number of persons in driving mode is specified for each floor plan.

The "mass of passengers" results from the permissible number of persons in driving operation as determined by the manufacturer in the type-approval procedure minus the mass of the driver calculated as a lump sum of 75 kg.

5. Standard equipment and optional extras

"Standard equipment", also known as "basic equipment", includes the basic configuration of a vehicle with all legally required features, including all attached equipment that does not require any further specifications at the configuration or equipment level.

For the floor plan you have chosen, you will receive the details of the standard equipment ("basic equipment") as part of the configuration below.

Additional equipment" ("Packages" and "Options") refers to all equipment which is not included in the standard equipment and which can be fitted to the vehicle at the factory under the responsibility of the manufacturer, on customer order. In this sense, other accessories installed by you or your trade partner after the vehicle has been delivered by the manufacturer are not additional equipment.

Please note that the installation of additional equipment may reduce the payload (cf. item 6.). Information on the maximum mass of additional equipment that can be selected for each floor plan can be found in the information on the respective vehicle floor plan (cf. item 7.).

6. The payload and the minimum payload

To calculate the "payload" of a motorhome, the mass in running order, the mass of the passengers and the maximum mass of the additional equipment specified by the manufacturer must be subtracted from the maximum authorised laden mass. The remaining mass is the payload.

For motorhomes, there is a fixed "minimum payload" in European legislation that must be available for luggage and other accessories not installed by the manufacturer. This must not be undercut when configuring the vehicle and is calculated using the following formula:

Minimum payload in kg $\geq 10 \cdot (n + L)$

Where "n" is the maximum number of passengers plus the driver and "L" is the total length of the vehicle in metres, with two decimal digits.

7. The maximum mass of the additional equipment

To ensure that the minimum payload required by law is met, each manufacturer specifies the "maximum mass of additional equipment" for each floor plan. This is the mass available for the selection of factory additional special equipment such as "options" or "packages", taking into account the legally prescribed minimum payload.

EuroCaravanning GmbH & Co. KG calculates the maximum mass of the additional equipment by subtracting the mass in running order, the mass of the passengers and the minimum payload from the maximum authorised laden mass.Example:

If the maximum authorised laden mass of a motorhome is 3,500 kg, the mass in running order is 2,968 kg, the mass of the passengers is 3x 75 kg and the minimum payload is 110 kg, a maximum remaining load of 197 kg remains.

IMPORTANT NOTES ON THE WEIGHTS

II. TECHNICAL AND LEGAL INFORMATION

1. Legally permissible tolerances in the calculation of weight data

The values given in the technical data for the mass in running order are calculated nominal values which are subject to production-related tolerances of up to $\pm 5\%$. These production-related tolerances are permitted by law and result from the use of natural materials such as wood and the manufacturing processes of some suppliers. Although production processes are optimised, weight variations due to the materials used cannot be completely excluded. As these tolerances have a direct impact on the actual mass of your vehicle and therefore also on the possible payload or remaining payload, it is essential that you take them into account when configuring your vehicle.

An example for clarification: If the mass in running order is 2,968 kg according to the technical data, it is subject to a legally permissible tolerance of $\pm 5\%$, which corresponds to a deviation of 148 kg. This results in a legally permissible range of the mass in running order of 2,820 to 3,116 kg.

2. Effect of the legally permissible tolerances

If the actual vehicle mass is increased by the selection of additional equipment in such a way that there is no longer sufficient load capacity for the permitted passengers and the minimum payload between the maximum authorised laden mass and the actual vehicle mass, you have the option of selecting a vehicle load increase (depending on the floor plan), reducing seats or deselecting additional equipment as part of the configuration. Otherwise, the configuration and ordering of the vehicle cannot be continued.

It is important to ensure – if necessary with your EuroCaravanning trade partner – that the maximum authorised laden mass is not exceeded, even mathematically, in order to ensure sufficient payload possibilities for passengers and luggage.

Observe – irrespective of compliance with the minimum payload – in your configuration the legally permissible production-related tolerances for the mass in running order, as these always also affect the payload possibilities. You can only order one maximum mass of additional equipment for each floor plan.

If the vehicle from the above example is ordered with additional equipment weighing 150 kg and a stated nominal mass in running order of 2,968 kg, this results in a payload of 180 kg. However, the actual payload possibility may differ due to the legally permissible tolerances. If the mass in running order of your vehicle is permissibly 1% higher than the stated nominal value, the payload possibility is reduced from 180 kg to 151 kg.

Example:

| | |
|-------------|---|
| 3,500 kg | Maximum authorised laden mass |
| - 2,998 kg | Actual weight of the vehicle in running order (+ 1% compared to the mass in running order of 2,968 kg stated in the technical data) |
| - 3 x 75 kg | Mass of the passengers |
| - 150 kg | Additional equipment ordered for the specifically configured vehicle |
| = 127 kg | Remaining payload capacity (Important: The remaining payload capacity must be greater than the minimum payload, cf. point 6). |

It is recommended that you weigh your loaded vehicle before starting each journey and ensure that the maximum authorised laden mass is observed. As the driver of the vehicle, it is your responsibility to carry out this check.

III. MISCELLANEOUS

Subject to changes, errors, factory technical adjustments and printing errors. The content corresponds to the status at the time of printing in March 2026. The price list is valid from 16.03.2026 for the model year 2026. Previous price lists lose their validity. All prices are in pounds and include the statutory value-added tax currently applicable in UK. Prices are valid for the UK market and are subject to adjustment in the event of tax rate changes. Some of the illustrations in the VANTourer price list show optional extras that are available at extra cost. We reserve the right to make errors and misprints.

VANTourer panel vans from EuroCaravanning have a 5 year leakproof guarantee and a 24 month warranty. Dimensions and weights are within possible tolerances of $\pm 5\%$ due to the use of natural raw materials. By adding, modifying or installing parts in unauthorised workshops, you endanger your safety and risk the loss of the general operating permit and the VANTourer warranty. Therefore, only have repairs or retrofits carried out by an authorised VANTourer dealer and insist on original VANTourer extras. Subsequent conversions and installations, as far as they are technically possible, require additional assembly and material costs. In individual cases, special request combinations may be mutually excluded. We reserve the right to make technical changes in design, colour and equipment, insofar as this serves technical progress.

