




# **VANTOURER FIAT**









| TECHNICAL DATA  | 540 D   | 600 D   | 600 L   | 630 L   |
|---|---------|---------|---------|---------|
| Length in cm  | 541     | 599     | 599     | 636     |
| Width in cm (exterior/interior)                         | 205/187 | 205/187 | 205/187 | 205/187 |
| Height in cm (exterior/interior)                        | 258/190 | 258/190 | 258/190 | 258/190 |
| Wheelbase (mm)  | 345     | 403     | 403     | 403     |
| Turning circle (m)                                      | 12,4    | 14,2    | 14,2    | 14,2    |
| Permitted number of passengers when travelling          | 4       | 4       | 4       | 4       |
| Seats with 3-point seatbelts                            | 4       | 4       | 4       | 4       |
| Berths<br>Additional berths:                            | 2       | 2       | 2       | 2       |
| Guest bed at the seating area                           | 1       | 1       | 1       | 1       |
| Extra bed in combination with fold-down bed in the rear | 2       | 2       | 2       | 2       |
| Bed in the pop-up roof                                  | 2       | 2       | 2       | _       |

| Fiat Ducato  | 2,2 I Multijet3 120 / 140 / 180 |  |                      |                       |  |  |  |
|--|---------------------------------|--|----------------------|-----------------------|--|--|--|
| Power  |                                 | 88 kW (120 HP) / 103 kW (140 HP) / 132 kW (180 HP) |                      |                       |  |  |  |
| Max. torque 6-speed gearbox (standard)                     | 320 / 350 / 380 Nm              |  |                      |                       |  |  |  |
| Max. torque 8-speed automatic transmission (option)        |                                 | - / 380 <i>i</i>                                   | 450 Nm               |                       |  |  |  |
| Maximum authorised laden mass (kg) <sup>1/2</sup>          | 3.500                           | 3.500  | 3.500                | 3.500                 |  |  |  |
| Mass in running order (kg) <sup>1/3</sup>                  | 2.660 (2.527 - 2.793)           | 2.810 (2.669 - 2.950)                              | 2.810 (2.669 -2.950) | 2.990 (2.840 - 3.139) |  |  |  |
| Maximum mass of the additional equipment (kg) <sup>1</sup> | 515                             | 360  | 360                  | 176                   |  |  |  |
| Minimum payload (kg) <sup>1</sup>                          | 94,1                            | 99,9   | 99,9                 | 103,6                 |  |  |  |
| Towed load unbraked/braked (kg)                            | 750/2.500                       | 750/2.500  | 750/2.500            | 750/2.500             |  |  |  |
| EURO 6d-final incl. particulate filter and AdBlue          | Х                               | X  | X                    | X                     |  |  |  |
| Free "Camper Assistance"<br>with breakdown service (24/7)  | X                               | X  | X                    | Х                     |  |  |  |

<sup>1</sup>Legal and technical information on the subject of "vehicle weights" can be found on page 8 of this price list. <sup>2</sup>The stated weight is the maximum authorised laden mass. <sup>3</sup>Incl. indication of production-related tolerances of +/- 5 %.

Errors, omissions, factory-made technical adaptations and misprints excepted. Status: 01.08.2024

# VANTOURER PRICES FIAT

| Non-binding price recommendation of the manufacturer |          |          |          |          |
|--|----------|----------|----------|----------|
|  | 540 D    | 600 D    | 600 L    | 630 L    |
| Fiat 2,2 I Multijet3 120 (88 kW/120 HP)              | -        | 62.490,- | 63.390,- | -        |
| Fiat 2,2 I Multijet3 140 (103 kW/140 HP)             | 61.990,- | -        | -        | 67.690,- |

| Surcharges for motorization              |   |         |         |         |
|--|---|---------|---------|---------|
| Fiat 2,2 I Multijet3 140 (103 kW/140 HP) | - | 2.990,- | 2.990,- | -       |
| Fiat 2,2 I Multijet3 180 (132 kW/180 HP) | - | 5.890,- | 5.890,- | 2.990,- |

We charge a standard fee of 1.590,— for preliminary freight, freight, TÜV, certificate of title and gas test in Germany.

All prices in Euro, valid for the German market. All prices include statutory VAT at the rate of 19 % applicable in Germany and are subject to changes in the tax rate.

Important note: The seller is legally obliged to apply the VAT rate valid at the time of vehicle delivery (= service provision) to the purchase price. Changes in the VAT rate between the conclusion of the purchase contract and delivery of the vehicle therefore lead to a change in the VAT amount owed by the purchaser and to this extent to a subsequent change in the agreed gross purchase price.



# VANTOURER STANDARD EQUIPMENT FINT

| VANTOURER STANDARD EQUIPMENT  |           |           |                   |                   |
|---|-----------|-----------|-------------------|-------------------|
| Chassis   | 540 D     | 600 D     | 600 L             | 630 L             |
| 15" steel rims (215/70 R15 C; 6J X 15")   | Χ         | Χ         | Χ                 | Χ                 |
| ABS, ESC, ASR, Hill Holder  | X         | X         | X                 | X                 |
| Cup holders in the center console for two 0,751 bottles   | X         | X         | X                 | Х                 |
| Covered turning console for driver and co-driver seats  | X         | X         | X                 | Х                 |
| Electric window lifter  | X         | X         | X                 | Χ                 |
| Driver and passenger airbags  | X         | Χ         | X                 | Χ                 |
| Height-adjustable driver and co-driver seats  | X         | Χ         | X                 | Χ                 |
| Fuel tank 601   | X         | Χ         | X                 | Χ                 |
| Standard daytime running lights   | X         | X         | X                 | Χ                 |
| Power-assisted steering   | X         | Χ         | X                 | Χ                 |
| Original lashing rings in the rear floor  | X         | Χ         | X                 | Χ                 |
| VANTourer cab carpet  | X         | Χ         | X                 | Χ                 |
| Electronic immobiliser  | X         | X         | X                 | Χ                 |
| Central locking with remote control   | X         | Χ         | X                 | Χ                 |
| Fix and go kit (instead of spare wheel)   | X         | X         | X                 | Χ                 |
| Living, sleeping  | 540 D     | 600 D     | 600 L             | 630 L             |
| Pop-out windows with push button locks  | X         | X         | X                 | X                 |
| Roof hatch 40 x 40 cm (bed area), 70 x 50 cm (living area)  | X         | X         | X                 | Χ                 |
| Electric entry step 700 mm (retracts when the engine starts)  | X         | Χ         | X                 | Χ                 |
| Step to the rear bed  | X         | X         | X                 | Χ                 |
| Insulating windows with blackout blind and fly screen   | X         | Χ         | X                 | Χ                 |
| Cold bridge optimized insulation on side walls, ceiling and hatchback   | X         | Χ         | X                 | Χ                 |
| Hatches and doors with handles, push locks and stable furniture hinges  | X         | X         | X                 | Χ                 |
| Overhead storage compartments with raised edges and height-adjustable shelving                                    | X         | X         | X                 | X                 |
| Automotive upholstery in an imitation leather-fabric combination with visible seams (cab seats and dinette bench) | X         | X         | X                 | X                 |
| Fully extending drawers and stable furniture rails  | X         | X         | X                 | X                 |
| Bed dimensions for the rear bed in cm   | 194 x 140 | 194 x 140 | 180 x 95/200 x 95 | 190 x 95/200 x 95 |

| VANTOURER STANDARD EQUIPMENT  |        |        |        |        |
|---|--------|--------|--------|--------|
| Electronics   | 540 D  | 600 D  | 600 L  | 630 L  |
| Onboard battery AGM 95 Ah   | 1 x    | 1 x    | 1 x    | 1 x    |
| Onboard controls with display for electricity/water/ battery  | X      | Х      | Χ      | Х      |
| Interior lighting completely in 12 V (LED version, exception: entrance light + luggage compartment)   | Х      | Х      | X      | X      |
| 2 LED lights in the rear, with USB charging socket (omitted with lift bed)  | X      | X      | X      | X      |
| Power outlets 1 x 230 V/2 x 12 V/3 x USB Power socket   | X      | X      | X      | X      |
| Power supply: 230 V Euro exterior outlet with FI, 230 V and 12 V  | X      | X      | X      | Х      |
| Gas, heating, water, air conditioning   | 540 D  | 600 D  | 600 L  | 630 L  |
| Wastewater tank (volume in litres), underfloor  | 85     | 85     | 85     | 85     |
| Maximum capacity of the fresh water tank (volume in litres) (recommended driving filling limited by overflow valve to 20 l, installation situation varies depending on model) | 100/20 | 100/20 | 100/20 | 100/20 |
| Security compartment for gas bottles (3 kg)   | X      | X      | X      | X      |
| Truma diesel central heating (incl. 121 hot water preparation)  | D 6    | D 6    | D 6    | D 6    |
| Hot water distribution with connections in kitchen and bathroom   | X      | X      | X      | X      |
| Kitchen area  | 540 D  | 600 D  | 600 L  | 630 L  |
| 2-burner gas hob with piezo igniter and integrated stainless steel sink   | X      | X      | X      | X      |
| Compressor refrigerator (volume in litres) with freezer   | 75     | 95     | 75     | 95     |
| Cutlery drawer  | X      | X      | X      | Х      |
| Countertop with a large side extension with singlehanded operation  | X      | X      | X      | X      |
| Bathroom  | 540 D  | 600 D  | 600 L  | 630 L  |
| Vario bathroom with extended shower tray and insert   | Х      | Х      | X      | X      |
| Dometic CTS 4110 cassette toilet<br>with high-quality scratch-resistant ceramic-inlay   | Х      | Х      | X      | X      |
| Bathroom window with blind and roof ventilator on the ceiling (omission of mushroom vent for pop-up roof)   | Х      | Х      | X      | X      |

X Standard equipment

Technically not available

# VANTOURER OPTIONS FIRT

|   | + kg    | Price   |
|---|---------|---------|
| Solid paint (white)   | _       | 0,-     |
| Metallic paintwork (aluminium grey metallic, fer grey metallic, artense grey metallic, black metallic)  | 2       | 590,-   |
| Paintwork special colour (lanzarote grey, expedition grey)  | 2       | 719,-   |
| Maxi chassis 3,5 t (not 540 D)  | 50      | 649,-   |
| Full LED front lighting (low beam, high beam and indicator)   | _       | 1.279,- |
| 8 gear automatic transmission   | 35      | 3.849,- |
| 90 I Fuel tank  | 13      | 99,–    |
| Rain and light sensor   | 1       | 389,-   |
| Electric parking brake  | -9      | 619,-   |
| Keyless (Entry&Go) (not in conjunction with bow conversion)   | 1       | 629,-   |
| Heated windscreen   | 1       | 359,-   |
| Seat heating for driver and front passenger seats   | 1       | 849,-   |
| LED reading lights above driver and passengers seat   | 1       | 139,-   |
| Heating rod Truma Combi E 220 V   | 1       | 1.329,- |
| Waste water tank insulated (ventilated with hot air when heating is on)   | 2       | 379,–   |
| 2nd onboard battery   | 24      | 499,-   |
| Lithium-ion onboard battery (instead of standard battery)   | -12     | 1.399,– |
| Additional lithium-ion onboard battery (as 2nd onboard battery) (only possible in combination with lithium-ion onboard battery as series battery) | 12      | 1.649,- |
| Individual seats with Isofix child restraint (depending on the size of the child seats, only one Isofix mount can be used)                        | 30      | 1.849,- |
| Panel windows Dometic Seitz S7P   | _       | 1.079,- |
| Awning  | 28 - 31 | 1.349,- |
| EvoPoreHRC® mattress incl. WATERGEL® topper   | 6       | 509,-   |
| Guest bed with foam cushions, bed dimensions approx. 180 x 60 cm (for 540 D/600 L with reduced table width)                                       | 11      | 329,-   |
| Fold-down bed rear (instead of fixed rear bed, mattress size differs from standard bed. No side window at the rear right on 540D/600D)            | 20      | 1.299,- |
| Extra bed under fold-down bed (only in conjunction with fold-down bed, mattress size differs from standard bed)                                   | 20 - 30 | 599,-   |
| Rear right side window (only in conjunction with drop-down bed for 540 D / 600 D)   | 5       | 409,-   |
| Ambiance lighting dimmable incl. rain gutter above sliding door (incl. LED lighting)  | 1       | 599,–   |
| Inductive charging tray in the pop-up roof  | _       | 149,–   |
| Bow conversion with panorama window and folding jacket storage (not possible in conjunction with pop-up roof)                                     | -10     | 2.699,- |
| Bow conversion without panorama window, with folding jacket storage (possible in conjunction with pop-up roof)                                    | -10     | 1.019,- |
| Without shower tray in the hallway  | _       | 0,-     |

# VANTOURER PACKAGES FIRT

| STANDARD PACKAGE 2025 (already included in the basic price)                             | Price |
|---|-------|
| Fuel tank 60 I  |       |
| Headlight trims in black  |       |
| Grip Control incl. Hill Descent Control (intelligent electronic differential traction+) |       |
| All-season tyres  |       |
| Electrically adjustable and heated exterior mirrors                                     |       |
| Original Fiat pilot seats with adjustable armrests                                      |       |
| Satellite/solar prewiring   |       |
| Reversing camera prewiring  |       |
| USB charging socket in cab  |       |
| Manual air conditioning in cab  |       |
| Cooling compartment for 1.5   bottle  |       |
| Temp control  |       |
| Charging booster for body battery   |       |
| Start & stop system incl. smart alternator (220 A)                                      |       |
| Package price SERIAL PACKAGE 2025   | 0,-   |

| COMFORT PACKAGE (components of the package cannot be ordered individually) + kg                                       | Price   |
|---|---------|
| Radio preparation with loudspeakers in the cab and living area  | 399,–   |
| DAB aerial  | 89,-    |
| REMIS cab darkening for front and side windows  | 849,-   |
| Flyscreen door on the sliding door  | 549,-   |
| Leather steering wheel with leather gear knob   | 279,-   |
| Steering wheel remote control   | 159,–   |
| Bag(s) in the bed area (1 x for 540 D/600 D. 2 x for 600 L/630 L.) 2 x for 600 L/630 L)                               | 79,–    |
| Table with swing-out table extension  | 339,-   |
| Isofix child safety lock for bench seat (depending on the size of the child seats, only one Isofix mount can be used) | 279,-   |
| Bench seat can be pulled out to the side for a more comfortable seating position                                      | 439,-   |
| Silver Techno Trim dashboard  | 129,-   |
| Truma CP-Plus control panel   | 129,-   |
| Additional power sockets 2 x 230 V / 1 x 12 V   | 229,-   |
| 16" alloy wheels for standard tyres   | 899,–   |
| Non-binding price recommendation 38   | 4.846,- |
| Package price COMFORT-PACKAGE  You save 1.356,—   | 3.490,- |

# VANTOURER OPTIONS FIAT

| PRIME PACKAGE (not all components of the package can be ordered individually) + kg   | Price    |
|--|----------|
| Tyre pressure monitoring system  | 309,-    |
| Painted bumpers  | 549,-    |
| Skid plate / spoiler lip (only for Light Chassis)  | 109,-    |
| Automatic air conditioning cab with pollen filter  | 549,-    |
| 10' infotainment DAB navigation incl. reversing camera   | 1149,–   |
| Inductive smartphone charging function   | 269,-    |
| Fog lights with cornering light  | 209,-    |
| Automatic transmission   | 3849,-   |
| Virtual cockpit  | 619,-    |
| Electric parking brake   | 619,-    |
| Safety package Co Driver (consisting of: Lane Keeping Assist, Traffic sign recognition, automatic dipped beam, rain and light sensor, intelligent speed assistant, emergency brake assistant with pedestrian recognition, fatigue detection, adaptive cruise control incl. follow to stop function, autonomous lane departure warning) | 2290,–   |
| Non-binding price recommendation -5  | 10.520,- |
| Package price PRIME PACKAGE  You save 530,—  | 9.990,-  |

| ROOF PACKAGE (vehicle height: + approx. 20 cm, not possible in the 630 L) |                | + kg | Price           |
|---|----------------|------|-----------------|
| Pop-top roof with mosquito net and darkening - white/lava grey            |                |      | 5.999,-/6.499,- |
| Access ladder   |                |      | 149,–           |
| Reading lights  |                |      | 109,-           |
| Comfort bed (mattress size 200 x 130 x 6 cm)                              |                |      | 299,-           |
| Roof hatch incl. fly screen and blackout blind                            |                |      | 259,-           |
| LED lighting in the entire pop-top roof                                   |                |      | 369,-           |
| USB charging socket   |                |      | 119,–           |
| Hot air vent  |                |      | 149,-           |
| Non-binding price recommendation  | Vou covo 062   | 163  | 7.452,-/7.952,- |
| Package price ROOF PACKAGE  | You save 962,- |      | 6.490,-/6.990,- |

| SAFETY PACKAGE PLUS (components of the package cannot be ordered individually)  | + kg | Price   |
|---|------|---------|
| Safety package (consisting of: Emergency Brake Assist with pedestrian detection, Lane Keeping Assist, Traffic Sign Recognition, Rain and Light Sensor, Auto Dimming, Intelligent Speed Assist, Driver Drowsiness Detection) |      | 1040,-  |
| Tire pressure monitoring system TPMS  |      | 309,-   |
| Package price SAFETY PACKAGE PLUS   | 2    | 1.349,- |

# VANTOURER PACKAGES FIRT

| INFOTAINMENT-PACKAGE (not all components of the package can be ordered individually) |               | + kg | Price   |
|--|---------------|------|---------|
| Automatic air conditioning cab with pollen filter                                    |               | _    | 549,-   |
| Inductive smartphone charging function   |               |      | 269,-   |
| 10' infotainment DAB navigation incl. reversing camera                               |               |      | 1149,-  |
| Virtual cockpit  |               |      | 619,-   |
| Non-binding price recommendation   | Vou covo 06   | 2    | 2.586,- |
| Package price LOUNGE PACKAGE "RADIO"   | You save 96,- |      | 2.490,- |

| WINTER-PACKAGE                     |                | + kg | Price   |
|------------------------------------|----------------|------|---------|
| Seat heater                        |                | _    | 849,-   |
| Electric heater from Truma Combi E |                |      | 1329,–  |
| Insulated waste water tank         |                | -    | 379,–   |
| Non-binding price recommendation   | Vou 2012 260   | 4    | 2.557,- |
| Package price WINTER PACKAGE       | You save 369,- |      | 2.190,- |

| DESIGN PACKAGE (not all components of the package can be ordered individually) | + k(          | Price   |
|--|---------------|---------|
| Front fog lights   |               | 209,-   |
| Painted bumper   |               | 549,-   |
| Skid plate / spoiler lip (only with Light Chassis)                             |               | 109,-   |
| LED reading lights above driver and passengers seat                            |               | 139,–   |
| Rain gutter above sliding door with LED lighting                               |               | 259,-   |
| Ambient lighting (dimmable)  |               | 599,-   |
| Non-binding price recommendation   | Vov. 2212 74  | 1.864,- |
| Package price DESIGN PACKAGE   | You save 74,- | 1.790,- |

| PARKING PACKAGE (components of the package can be ordered individually) |               | + kg | Price |
|---|---------------|------|-------|
| Electrically folding exterior mirrors                                   |               |      | 239,- |
| Rear parking sensors  |               |      | 459,- |
| Preparation for tow bar   |               |      | 269,- |
| Non-binding price recommendation  | Vou 2012 77   | 2    | 967,- |
| Package price PARKING PACKAGE   | You save 77,- |      | 890,- |

### VANTOURER OPTIONS FIAT

| ASSISTANCE-PACKAGE (components of the package cannot be ordered individually) |                | + kg | Price   |
|---|----------------|------|---------|
| Electrically folding exterior mirrors   |                |      | 239,-   |
| Rear parking sensors  |                |      | 459,-   |
| Blind spot assistant with lateral movement assistant                          |                |      | 719,-   |
| Preparation AHK   |                |      | 269,-   |
| Non-binding price recommendation  | Vou cove 160   | 2    | 1.686,- |
| Package price ASSISTANCE-PACKAGE  | You save 169,- |      | 1.490   |

| Package price ASSISTANCE-PACKAGE PLUS  | 100 30VC 340,- |      | 2.990,- |
|--|----------------|------|---------|
| Non-binding price recommendation   | You save 346,- | 2    | 3.336,- |
| Preparation AHK  | -              |      | 269,-   |
| Digital rear-view mirror   |                |      | 1290,-  |
| Electrically folding exterior mirrors  |                |      | 239,-   |
| 360° parking sensors   |                |      | 819,–   |
| Blind Spot Assist with lateral movement assistant                                  |                |      | 719,–   |
| ASSISTANCE-PACKAGE PLUS (components of the package cannot be ordered individually) |                | + kg | Price   |

| HIGHLIGHT-PACKAGE (components of the package cannot be ordered individually) | + kg             | Price   |
|--|------------------|---------|
| Insulated waste water tank   |                  | 379,-   |
| Awning   |                  | 1.349,- |
| Frame window   |                  | 1.079,- |
| Ambient lighting   |                  | 599,-   |
| Rain gutter above the sliding door with LED lighting                         |                  | 259,-   |
| LED reading lights   |                  | 139,-   |
| Non-binding price recommendation   | You save 1 014   | 3.804,- |
| Package price HIGHLIGHT-PACKAGE  | You save 1.014,- | 2.790,- |

Errors, omissions, factory-made technical adaptations and misprints excepted. Status: 01.08.2024

### VANTOURER PACKAGES FIAT

### IMPORTANT NOTES ON THE WEIGHTS

### Important technical and legal information on vehicle configurationand weight-related information

Every vehicle in public road traffic is only approved for a certain maximum weight. This maximum don't have to be exceeded under any circumstances when driving. Therefore, when configuring your vehicle and selecting additional equipment ("packages" and "options") from our range, the technical and legal requirements for the the mass of the authorised passengers. weight of your vehicle must be particularly observed.

Commission Implementing Regulation (EU) 2021/535 of 31 March 2021 (until 06/2022; Commission Regulation (EU) No. 1230/2012 of 12 December 2012) contains the legal requirements for the weight of your vehicle. 225 kg in total (3x 75 kg). The following explanations and information from EuroCaravaning GmbH & Co. KG are based on this regulation In the technical data, the permissible number of persons in driving mode is specified for each floor plan. in order to inform you as comprehensively as possible about the weight-related information listed within the scope of the configuration. Please read the following explanations and notes on weight-related information carefully before configuring and ordering your vehicle. Our trade partners will be happy to assist you with the selection and configuration of your vehicle.

#### I. TERMINOLOGY

#### 1. Maximum authorised laden mass

The "maximum authorised laden mass" of the vehicle is entered in the registration certificate part I, more precisely under point F.1. With this information, the manufacturer indicates the maximum weight that your vehicle may weigh when loaded (e.g. 3.500 kg). It is not permitted to exceed this weight limit while driving, as this is punishable by fines in many European countries.

In Germany, exceeding the maximum authorised laden mass can be punished as an administrative offence with a fine. We recommend that you weigh your vehicle before each journey and ensure that the maximum authorised laden mass is not exceeded. It is the responsibility of the vehicle owner to ensure compliance with the maximum authorised laden mass. In the technical data, the maximum authorised laden massis stated for each floor plan.

"Mass in running order" means the mass of the vehicle with bodywork and standard factoryequipment ("basic equipment" or "standard equipment"), including the fuel tank filled to 90 % of its capacity and operating fluids such as greases, oils and coolants, 100 % full gas cylinders, tools and tyre puncture assistance, plus the driver's mass calculated at a flat rate of 75 kg.

In the technical data, the "mass in running order" is given for each floor plan. The following items are included in the mass in running order:

- the unladen weight of the vehicle including the bodywork, including operating fluids such as greases, oils and coolants, tools and tyre puncture assistance:
- the factory standard equipment; i.e. the basic configuration of a vehicle equipped with all the features metres, with two decimal digits. required by law, including any fitted equipment that does not require any further specifications at the
  7. The maximum mass of the additional equipment configuration or equipment level;
- the fresh water tank filled to 100% in driving mode (The capacity of the fresh water tank in the VANTourer is limited to 20 litres in driving mode.) and an aluminium gas bottle filled to 100 % with a weight of 8 kg;
- the fuel tank filled to 90 % including fuel;
- the driver, whose weight is calculated at a flat rate of 75 kg.

Please note that the "mass in running order" figures in the technical data are calculated nominal values which are subject to production-related tolerances of up to  $\pm$  5%. These legally permissible tolerances can have ised laden mass. Example: a direct effect on the actual mass of your vehicle and thus also on the payload or remaining payload. It is therefore highly advisable to take these tolerances into account when configuring your vehicle.

#### 3. The actual vehicle mass

The "actual vehicle mass" refers to the mass of the vehicle in running order, including the mass of factory-fitted optional equipment specifically configured for a particular vehicle.

#### 4. The mass of the driver and the passengers

The "mass of the driver" is calculated as a flat rate of 75 kg - regardless of the actual weight of the driver and is already included in the mass in running order. Therefore, it is not taken into account when calculating

The "mass of passengers" is also calculated as a flat rate of 75 kg per passenger - regardless of their actual weight. For example, the "mass of passengers" for a vehicle with a 4 passenger registration when driving is

The "mass of passengers" results from the permissible number of persons in driving operation as determined by the manufacturer in the type-approval procedure minus the mass of the driver calculated as a lump sum of 75 kg.

#### 5. Standard equipment and optional extras

"Standard equipment", also known as "basic equipment", includes the basic configuration of a vehicle with all legally required features, including all attached equipment that does not require any further specifications at the configuration or equipment level.

For the floor plan you have chosen, you will receive the details of the standard equipment ("basic equipment") as part of the configuration below.

Additional equipment" ("Packages" and "Options") refers to all equipment which is not included in the standard equipment and which can be fitted to the vehicle at the factory under the responsibility of the manufacturer, on customer order. In this sense, other accessories installed by you or your trade partner after the vehicle has been delivered by the manufacturer are not additional equipment.

Please note that the installation of additional equipment may reduce the payload (cf. item 6.). Information on the maximum mass of additional equipment that can be selected for each floor plan can be found in the information on the respective vehicle floor plan (cf. item 7.).

#### 6. The payload and the minimum payload

To calculate the "payload" of a motorhome, the mass in running order, the mass of the passengers and the maximum mass of the additional equipment specified by the manufacturer must be subtracted from the maximum authorised laden mass. The remaining mass is the payload.

For motorhomes, there is a fixed "minimum payload" in European legislation that must be available for luggage and other accessories not installed by the manufacturer. This must not be undercut when configuring the vehicle and is calculated using the following formula:

Minimum payload in kg  $\geq$  10 \* (n + L)

Where "n" is the maximum number of passengers plus the driver and "L" is the total length of the vehicle in

To ensure that the minimum payload required by law is met, each manufacturer specifies the "maximum mass of additional equipment" for each floor plan. This is the mass available for the selection of factory additional special equipment such as "options" or "packages", taking into account the legally prescribed minimum payload.

EuroCaravaning GmbH & Co. KG calculates the maximum mass of the additional equipment by subtracting the mass in running order, the mass of the passengers and the minimum payload from the maximum author-

If the maximum authorised laden mass of a motorhome is 3,500 kg, the mass in running order is 2,968 kg. the mass of the passengers is 3x 75 kg and the minimum payload is 110 kg, a maximum remaining load of 197 kg remains.

## VANTOURER PACKAGES FIRT

### II. TECHNICAL AND LEGAL INFORMATION

#### 1. Legally permissible tolerances in the calculation of weight data

The values given in the technical data for the mass in running order are calculated nominal values which are subject to production-related tolerances of up to  $\pm$  5 %. These production-related tolerances are permitted by law and result from the use of natural materials such as wood and the manufacturing processes of some suppliers. Although production processes are optimised, weight variations due to the materials used cannot be completely excluded. As these tolerances have a direct impact on the actual mass of your vehicle and therefore also on the possible payload or remaining payload, it is essential that you take them into account VANTourer panel vans from EuroCaravaning have a 5 year leakproof guarantee and a 24 month warrantv. when configuring your vehicle.

An example for clarification: If the mass in running order is 2.968 kg according to the technical data, it is subject to a legally permissible tolerance of  $\pm$  5 %, which corresponds to a deviation of 148 kg. This results in a legally permissible range of the mass in running order of 2.820 to 3.116 kg.

### 2. Effect of the legally permissible tolerances

longer sufficient load capacity for the permitted passengers and the minimum payload between the maximum authorised laden mass and the actual vehicle mass, you have the option of selecting a vehicle load increase (depending on the floor plan), reducing seats or deselecting additional equipment as part of the configuration. Otherwise, the configuration and ordering of the vehicle cannot be continued.

It is important to ensure - if necessary with your EuroCaravaning trade partner - that the maximum authorised laden mass is not exceeded, even mathematically, in order to ensure sufficient payload possibilities for

Observe - irrespective of compliance with the minimum payload - in your configuration the legally permissible production-related tolerances for the mass in running order, as these always also affect the payload possibilities. You can only order one maximum mass of additional equipment for each floor plan.

If the vehicle from the above example is ordered with additional equipment weighing 150 kg and a stated nominal mass in running order of 2.968 kg, this results in a payload of 180 kg. However, the actual payload possibility may differ due to the legally permissible tolerances. If the mass in running order of your vehicle is permissibly 1% higher than the stated nominal value, the payload possibility is reduced from 180 kg to

- 3.500 kg Maximum authorised laden mass
- 2.998 kg Actual weight of the vehicle in running order (+ 1 % compared to the mass in running order of 2,968 kg stated in the technical data)
- 3 x 75 kg Mass of the passengers
- 150 kg Additional equipment ordered for the specifically configured vehicle
- = 127 kg Remaining payload capacity (Important: The remaining payload capacity must be greater than the minimum payload, cf. point 6).

It is recommended that you weigh your loaded vehicle before starting each journey and ensure that the maximum authorised laden mass is observed. As the driver of the vehicle, it is your responsibility to carry out this check.

#### III. MISCELLANEOUS


Subject to changes, errors, factory technical adjustments and printing errors. The content corresponds to the status at the time of printing in August 2024. The price list is valid from 01.08.2024 for the model year 2025. Previous price lists lose their validity. All prices are in euros and include the statutory value-added tax currently applicable in Germany. Prices are valid for the German market and are subject to adjustment in the event of tax rate changes. Some of the illustrations in the VANTourer price list show optional extras that are available at extra cost. We reserve the right to make errors and misprints.

Dimensions and weights are within possible tolerances of  $\pm$  5 % due to the use of natural raw materials. By adding, modifying or installing parts in unauthorised workshops, you endanger your safety and risk the loss of the general operating permit and the VANTourer warranty. Therefore, only have repairs or retrofits carried out by an authorised VANTourer dealer and insist on original VANTourer extras. Subsequent conversions and installations, as far as they are technically possible, require additional assembly and material costs. In individual cases, special request combinations may be mutually excluded. We reserve the right to make technical If the actual vehicle mass is increased by the selection of additional equipment in such a way that there is no changes in design, colour and equipment, insofar as this serves technical progress.









| TECHNICAL DATA   | 550 D   | 600 D   |
|--|---------|---------|
| Length (cm)  | 553     | 599     |
| Width in cm (exterior/interior)  | 206/187 | 206/187 |
| Height in cm (exterior/interior)   | 274/205 | 274/205 |
| Wheelbase (cm)   | 330     | 375     |
| Turning circle (m)   | 12      | 14      |
| Permitted number of passengers when travelling                                       | 4       | 4       |
| 3-point seat belt secured seats  | 4       | 4       |
| Sleeping berths/additional sleeping berths due to emergency bed on the seating group | 2/1     | 2/1     |
|  | ·       | ·       |

| Ford Transit   | FWD 2.01 EcoBlue Light Duty | FWD 2.01 EcoBlue Light Duty |
|--|-----------------------------|-----------------------------|
| Engine power   | 96 kW (130 PS)              | 96 kW (130 PS)              |
| Gearbox  | 6-speed manual gearbox      | 6-speed manual gearbox      |
| Technical permissible total mass (kg) <sup>1/2</sup>     | 3.500                       | 3.500                       |
| Mass of the vehicle in running order (kg) <sup>1/3</sup> | 2.775 (2.636 - 2.913)       | 2.875 (2.731 - 3.018)       |
| Maximum mass of additional equipment (kg)1               | 404,7                       | 300,1                       |
| Minimum payload (kg) <sup>1</sup>                        | 95,3                        | 99,9                        |
| Towing capacity unbraked/braked (kg)                     | 750/2.500                   | 750/2.500                   |
| Euro 6e including particulate filter and AdBlue          | Х                           | χ                           |
|  |                             |                             |

1Legal and technical information on the subject of "vehicle weights" can be found on page 8 of this price list. <sup>2</sup>The stated weight is the maximum authorised laden mass. <sup>3</sup> Incl. indication of production-related tolerances of +/- 5 %.

Errors, omissions, factory-made technical adaptations and misprints excepted. Status: 01.08.2024

## VANTOURER PRICES Ford



| Non-binding price recommendation of the manufacturer |          |          |
|--|----------|----------|
|  | 550 D    | 600 D    |
| Ford 2.01 EcoBlue Light Duty (96 kW/130 HP)          | 61.390,- | 63.790,- |
| Surcharges for motorization                          |          |          |
| Ford 2.0 I EcoBlue Light Duty (121 kW/165 HP)        | 1.690,-  | 1.690,-  |

We charge a standard fee of 1.590,- for preliminary freight, freight, TÜV, certificate of title and gas test in Germany.

All prices in Euro, valid for the German market. All prices include statutory VAT at the rate of 19 % applicable in Germany and are subject to changes in the tax rate.

Important note: The seller is legally obliged to apply the VAT rate valid at the time of vehicle delivery (= service provision) to the purchase price. Changes in the VAT rate between the conclusion of the purchase contract and delivery of the vehicle therefore lead to a change in the VAT amount owed by the purchaser and to this extent to a subsequent change in the agreed gross purchase price.

## VANTOURER STANDARD EQUIPMENT &



| X X X X X X X X X X X X X X X X X X X |
|---------------------------------------|
| X<br>X<br>X<br>X                      |
| X<br>X<br>X                           |
| X<br>X<br>X                           |
| X                                     |
| X                                     |
|                                       |
| V                                     |
| Χ                                     |
| Х                                     |
| Х                                     |
| Х                                     |
| X                                     |
| Х                                     |
| Х                                     |
| Х                                     |
| Х                                     |
| Χ                                     |
| Х                                     |
| Х                                     |
|                                       |

Errors, omissions, factory-made technical adaptations and misprints excepted. Status: 01.08.2024

# VANTOURER STANDARD EQUIPMENT



| VANTOURER FORD STANDARD EQUIPMENT   |               |               |
|---|---------------|---------------|
| Chassis   | 550 D         | 600 D         |
| Seat belt tensioner and limiter   | Х             | Х             |
| Fuel tank 70 litres   | Х             | Х             |
| Ford Easy Fuel comfort filler cap and misfuelling protection  | Х             | Х             |
| Exterior mirrors with integrated indicators, electrically adjustable and heated                                     | Х             | Х             |
| Halogen standard headlights with daytime running lights   | Х             | Х             |
| Heat protection glazing, lightly tinted   | Х             | Х             |
| Glove compartment and overhead storage compartment in cab   | Х             | Х             |
| Cup holder in dashboard left / right  | Х             | Х             |
| Central locking with remote control (2 keys, 1 folding with remote control)   | Х             | Х             |
| FORD MyKey key system   | Х             | Х             |
| Lashing eyes in the floor   | Х             | Х             |
| Radio preparation incl. speakers in the cab (FORD)  | Х             | Х             |
| Front fog lights  | Х             | Х             |
| Tyre repair kit (repair kit)  | Х             | Х             |
| Electronic parking brake  | X             | Х             |
| Living/sleeping   | 550 D         | 600 D         |
| Furniture décor in white/painted smoke  | Х             | Х             |
| Windows with safety lock  | Х             | Х             |
| Frame window Dometic Seitz S7P, with insect screen and blackout   | Х             | Х             |
| Windows on rear doors (2 pieces)  | Х             | Х             |
| Roof bonnet 40 x 40 cm, clear, with insect screen and blackout (bed area and living area)                           | Х             | Х             |
| Electric entrance step 700 mm (retracts when engine is started)   | Х             | Х             |
| Floor panel in sandwich construction, innovative side wall and roof construction with various insulating materials  | Х             | Х             |
| Thermal bridge-optimised insulation on side walls, ceiling and rear door  | Х             | Х             |
| Side walls with breathable fabric covering  | Х             | Х             |
| Furniture construction in full carcass design   | Х             | Х             |
| Flaps and doors with handles, push locks and sturdy furniture hinges  | Х             | Х             |
| Overhead storage compartments with vibrating edge and intermediate shelves with height adjustment                   | Х             | Х             |
| Automotive upholstery in imitation leather/fabric combination with visible seams (cab seats and dinette bench seat) | Х             | Х             |
| Drawers with full-extension runners and sturdy furniture rails  | X             | Х             |
| Bed dimensions rear bed in cm   | 193 x 147/138 | 193 x 147/138 |
| Conversion seating group to emergency bed in cm   | 156 x 70      | 156 x 70      |
| Foam mattresses with aluminium slatted frame  | X             | Х             |
| Dinette bench seat with integrated heating  | X             | Х             |

| Storage   Stor   | VANITAUDED FARD CTANDARD FOURMENT  |       |       |
|--|--|-------|-------|
| Charging booster for oriboard battery  | VANTOURER FORD STANDARD EQUIPMENT Electronics  | 550 D | 600 D |
|  | Onboard battery AGM 95 Ah  | 1 x   | 1 x   |
| Switch/disconnect automatic for starter and onboard battery   X  | Charging booster for onboard battery   | X     | X     |
| Security compartment for gas bottles (3 kg)  | Electric automatic charger for starter/onboard battery   | X     | X     |
| Interior lighting completely in 12V (LED)  | Switch/disconnect automatic for starter and onboard battery  | X     | Х     |
| Now    | Onboard controls with display for electricity/water/battery  | X     | Х     |
| Prover supply: 230 V Euro exterior outlet with FI, 230 V and 12 V         X         X           Base, heating, water, air conditioning         550 D         600 D           Wastewater tank (volume in litres), underfloor         75         75           Meadmunn capacity of the fresh water tank (volume in litres) (recommended driving filling limited by overflow valve to 201, installation situation arise depending on model)         100         100           Security compartment for gas bottles (3 kg)         X         X         X           Security compartment for gas bottles (3 kg)         X         X         X           Security compartment for gas bottles (3 kg)         X         X         X           Security compartment for gas bottles (3 kg)         X         X         X           Security compartment for gas bottles (3 kg)         X         X         X           Value of underfly formation in gas bottles (3 kg)         X         X         X           Value of underfly formation in gas bottles (3 kg)         X         X         X         X           Value supply with submerged pump         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X  | Interior lighting completely in 12V (LED)  | X     | Х     |
| Sas heating, water, air conditioning  Wastewater tank (volume in litres), underfloor  Yastewater tank (volume in litres), underfloor  Yaste tank (volume in litres), underfloor  Yaste tank (volume in litres), underfloor  Yaste tank (volume in litres), underfloor  Yaster tank (volume in litres) (volume in litres) (volume in litres) tank (volume in litres | Power outlets 1 x 230 V/1 x 12 V/1 x USB adapter   | X     | Х     |
| Wastewater tank (volume in litres), underfloor         75         75           Maximum capacity of the fresh water tank (volume in litres) (recommended driving filling limited by overflow valve to 201, installation situation aries depending on model)         100         100           Security compartment for gas bottles (3 kg)         X         X           Deel heating Truma Combl         D 4         D 4           Air circulation system 12 V         X         X           Water supply with submerged pump         X         X           Not water supply with single-lever mixer tap in the kitchen and bathroom         X         X           Water puppls laid with circulating air hose         X         X           Citchen area         550 D         600 D           Cooker-sink combination incl. 2 burner cooker with electric ignition and divided glass cover         X         X           Cutlery drawer         X         X           Citchen multifunctional back panel         X         X           Avorktop with foldable side extension and integrated waste bin         X         X           Avorktop with foldable side extension and integrated waste bin         X         X           Available of back panel         X         X           Available of back panel         X         X           Available of back panel </td <td>Power supply: 230 V Euro exterior outlet with FI, 230 V and 12 V</td> <td>X</td> <td>X</td>   | Power supply: 230 V Euro exterior outlet with FI, 230 V and 12 V   | X     | X     |
| Maximum capacity of the fresh water tank (volume in litres) (recommended driving filling limited by overflow valve to 201, installation situation arries depending on model)    Comparison of the fresh water tank (volume in litres) (recommended driving filling limited by overflow valve to 201, installation situation with submersed pending on model)    Comparison of the fresh water tank (volume in litres) (recommended driving filling limited by overflow valve to 201, installation situation with submersed pending on model)    Comparison of the fresh water tank (volume in litres) (recommended driving filling limited by overflow valve to 201, installation situation with submersed pending on model)   Comparison of the fresh water tank (volume in 10 4  | Gas, heating, water, air conditioning  | 550 D | 600 D |
| Parties depending on model)  Security compartment for gas bottles (3 kg)  Security compartment for gas bottles (3 kg)  X  X  X  Diesel heating Truma Combi  D 4  D 4  Air circulation system 12 V  X  Water supply with submerged pump  X  X  At ott water supply with single-lever mixer tap in the kitchen and bathroom  X  X  Water pipes laid with circulating air hose  X  X  X  X  X  X  X  X  X  X  X  X  X   | Wastewater tank (volume in litres), underfloor   | 75    | 75    |
| D 4  | Maximum capacity of the fresh water tank (volume in litres) (recommended driving filling limited by overflow valve to 201, installation situation varies depending on model) | 100   | 100   |
| A X X X X X X X X X X X X X X X X X X X  | Security compartment for gas bottles (3 kg)  | X     | Х     |
| Water supply with submerged pump  X X X  And the water supply with single-lever mixer tap in the kitchen and bathroom  X X X  Water pipes laid with circulating air hose  X X X  X  X  X  X  X  X  X  X  X  X  X   | Diesel heating Truma Combi   | D 4   | D 4   |
| Nater pipes laid with circulating air hose XXXX  Water pipes laid with circulating air hose XXXX  Xitchen area 550 D 600 D  Cooker-sink combination incl. 2 burner cooker with electric ignition and divided glass cover XXXX  Dometic compressor refrigerator (volume in I) with double hinge, external control panel and removable freezer compartment 90 90  Cutlery drawer XXX  XXX  Worktop with foldable side extension and integrated waste bin XXX  XX  Apothecary pull-out with kitchen roll holder XXX  XX  Sathroom 550 D 600 D  Vario bathroom with extended shower tray and insert XXX  XX  Cassette toilet Dometic rotatable XXX  XX  XX  XX  XX  XX  XX  XX  XX  X  | Air circulation system 12 V  | X     | Х     |
| Water pipes laid with circulating air hose X X X  Gitchen area S550 D 600 D  Cooker-sink combination incl. 2 burner cooker with electric ignition and divided glass cover X X X  Cometic compressor refrigerator (volume in I) with double hinge, external control panel and removable freezer compartment 90 90  Cutlery drawer X X X  Kitchen multifunctional back panel X X X  Worktop with foldable side extension and integrated waste bin X X X  Apothecary pull-out with kitchen roll holder X X X  Sathroom 550 D 600 D  Vario bathroom with extended shower tray and insert X X X  Shower tray with sand dune feel X X X  Cassette toilet Dometic rotatable X X X  WC disposal tunnel with full cladding X X X  | Water supply with submerged pump   | X     | Х     |
| Kitchen area  Cooker-sink combination incl. 2 burner cooker with electric ignition and divided glass cover  X X X  Cometic compressor refrigerator (volume in I) with double hinge, external control panel and removable freezer compartment  90 90  Cutlery drawer  Kitchen multifunctional back panel  X X X  Avorktop with foldable side extension and integrated waste bin  X X X  Apothecary pull-out with kitchen roll holder  X X X  Sathroom  550 D 600 D  Arrio bathroom with extended shower tray and insert  X X X  Chower tray with sand dune feel  X X X  Cassette toilet Dometic rotatable  X X X  X  X  X  X  X  X  X  X  X  X  X   | Hot water supply with single-lever mixer tap in the kitchen and bathroom   | X     | Х     |
| Cooker-sink combination incl. 2 burner cooker with electric ignition and divided glass cover  X X  Cometic compressor refrigerator (volume in I) with double hinge, external control panel and removable freezer compartment  90 90  Cutlery drawer  X X  X  Kitchen multifunctional back panel  X X  X  Avorktop with foldable side extension and integrated waste bin  X X  X  Apothecary pull-out with kitchen roll holder  X X  X  Saathroom  Solo D  Araio bathroom with extended shower tray and insert  X X  X  Chower tray with sand dune feel  X X  X  Cassette toilet Dometic rotatable  X X  X  X  X  X  X  X  X  X  X  X  X  | Water pipes laid with circulating air hose   | X     | Х     |
| Counteric compressor refrigerator (volume in I) with double hinge, external control panel and removable freezer compartment  90 90 Cutlery drawer  X X X X X X X X X X X X X X X X X X   | Kitchen area   | 550 D | 600 D |
| Cutlery drawer  Kitchen multifunctional back panel  X  X  Worktop with foldable side extension and integrated waste bin  X  X  Apothecary pull-out with kitchen roll holder  X  X  X  Action bathroom  Solo D  Vario bathroom with extended shower tray and insert  X  X  X  X  X  X  X  X  X  X  X  X  X  | Cooker-sink combination incl. 2 burner cooker with electric ignition and divided glass cover   | Х     | Х     |
| Kitchen multifunctional back panel  X  X  Morktop with foldable side extension and integrated waste bin  X  Apothecary pull-out with kitchen roll holder  X  X  Apothecary pull-out with kitchen roll holder  X  X  X  Apothecary pull-out with kitchen roll holder  X  X  Active bathroom  Araio bathroom with extended shower tray and insert  X  X  X  Cassette toilet Dometic rotatable  X  X  X  X  X  X  X  X  X  X  X  X  X   | Dometic compressor refrigerator (volume in I) with double hinge, external control panel and removable freezer compartment  | 90    | 90    |
| Norktop with foldable side extension and integrated waste bin X X X Apothecary pull-out with kitchen roll holder X X X Sathroom 550 D 600 D Vario bathroom with extended shower tray and insert X X X Shower tray with sand dune feel X X X Cassette toilet Dometic rotatable X X X WC disposal tunnel with full cladding X X X  | Cutlery drawer   | X     | Х     |
| Apothecary pull-out with kitchen roll holder  X X X  Bathroom  Solve tray with extended shower tray and insert  X X X  Shower tray with sand dune feel  X X X  Cassette toilet Dometic rotatable  X X X  WC disposal tunnel with full cladding   | Kitchen multifunctional back panel   | X     | Х     |
| Sathroom Sathroom with extended shower tray and insert X X X Shower tray with sand dune feel X X X Cassette toilet Dometic rotatable X X X WC disposal tunnel with full cladding X X X   | Worktop with foldable side extension and integrated waste bin  | X     | Х     |
| Vario bathroom with extended shower tray and insert X X X Shower tray with sand dune feel X X X X Cassette toilet Dometic rotatable X X X X X X X X X X X X X X X X X X X  | Apothecary pull-out with kitchen roll holder   | X     | Х     |
| Shower tray with sand dune feel X X X Cassette toilet Dometic rotatable X X X WC disposal tunnel with full cladding X X X  | Bathroom   | 550 D | 600 D |
| Cassette toilet Dometic rotatable X X X WC disposal tunnel with full cladding X X X  | Vario bathroom with extended shower tray and insert  | Х     | Х     |
| WC disposal tunnel with full cladding X X  | Shower tray with sand dune feel  | X     | Х     |
|  | Cassette toilet Dometic rotatable  | Х     | Х     |
| Bathroom window with blind and roof ventilator on the ceiling X X  | WC disposal tunnel with full cladding  | Х     | Х     |
|  | Bathroom window with blind and roof ventilator on the ceiling  | X     | Х     |

X Standard equipment

# VANTOURER OPTIONS Ford

| VANTOURER FORD OPTIONS  | + kg | Price   |
|---|------|---------|
| 8 speed automatic transmission  | 45   | 2.590,- |
| Uni paint finish: white, uni-race red   | 2    | 0,-     |
| Chassis in metallic paint finish: chroma blue, magnetic grey, obsidian black  | 5    | 1.490,- |
| Chassis in special paint finish: Grey-Matter  | 2    | 1.490,- |
| Roof hatch (lift-tilt) 70 x 50 cm, with blackout blind and fly screen (bow)   | 8    | 509,-   |
| Hinged window rear, with blackout blind and fly screen (right)  | 5    | 389,-   |
| EvoPoreHRC® mattress incl. WATERGEL® topper (fixed beds only)   | 6    | 499,-   |
| Additional lateral bed  | 11   | 319,–   |
| Rear widening, left   | 5    | 1.399,- |
| Insulating hood waste water tank (ventilated with hot air when heating is on)   | 2    | 379,–   |
| 2nd onboard battery AGM   | 24   | 529,-   |
| Lithium-ion onboard battery (instead of standard battery)   | -12  | 1.390,- |
| Additional lithium-ion onboard battery (as 2nd onboard battery) (only possible in combination with lithium-ion onboard battery as series battery) | 12   | 1.649,- |
| TV holder in sleeping area incl. combi socket   | 4    | 419,-   |
| Awning 350 x 250 cm, anthracite   | 28   | 1.349,- |
| Single seats for rear bench seat, extendable  | 25   | 1.929,- |
| Ambient lighting  | 1    | 599,-   |

# VANTOURER PACKAGES Ford



| CHASSIS-PACKAGE (components of the package cannot be ordered individually) | + kg | Price   |
|--|------|---------|
| Side protection strips painted in car colour                               |      | 99,-    |
| Front bumper partially painted in car colour                               |      | 939,–   |
| Leather steering wheel with radio remote control                           |      | 309,-   |
| Automatic air conditioning   |      | 1.596,- |
| 2nd key, folding with remote control                                       |      | 39,–    |
| Glove compartment with lid, also lockable                                  |      | 0,-     |
| Front fog lights   |      | 319,–   |
| Headlights with static cornering light                                     |      | 289,-   |
| Cab interior lighting  |      | 0,-     |
| Package price CHASSIS-PACKAGE  | 6    | 3.590,- |
|  |      |         |
| COMFORT-PACKAGE (components of the package cannot be ordered individually) | + kg | Price   |
| Cab darkening for front and side windows                                   | -    | 818,-   |
| Additional loudspeakers in the sleeping and living area (2 pieces)         |      | 269,-   |
| SAT/solar prewiring  |      | 117,–   |
| Fly screen door on the sliding door  |      | 532,-   |
| Table with swivelling table extension (without quest had)                  |      | 205 _   |

| COMFORT-PACKAGE (components of the package cannot be ordered individually)  | + Kg                   | Price   |
|---|------------------------|---------|
| Cab darkening for front and side windows  |                        | 818,–   |
| Additional loudspeakers in the sleeping and living area (2 pieces)  |                        | 269,-   |
| SAT/solar prewiring   |                        | 117,–   |
| Fly screen door on the sliding door   |                        | 532,-   |
| Table with swivelling table extension (without guest bed)   |                        | 205,-   |
| Seat bench can be pulled out to the side for a more comfortable seating position  |                        | 355,-   |
| Isofix child safety lock for seat bench (depending on the size of the child seats, only one Isofix mount can be used)             |                        | 273,-   |
| Truma iNet X heater control panel   |                        | 833,-   |
| USB charging socket in the seating area and in the kitchen area, additional 230 V SCHUKO socket in the seating are V power socket | ea and in the rear, 12 | 342,-   |
| Non-binding price recommendation  | 22                     | 3.744,- |
| Package price COMFORT-PACKAGE   | ou save 1.333,-        | 2.590,- |

| PRIME-PACKAGE (only in combination with the COMFORT package, not all components cannot be ordered individually) | + kg           | Price   |
|---|----------------|---------|
| Ford light alloy rims for standard tyres  |                | 1.670,- |
| Reading lights in the cab   |                | 127,-   |
| Rain gutter above the sliding door with LED lighting (dimmable)   |                | 273,-   |
| Ambiance lighting in the living room/bathroom (dimmable)  |                | 599,-   |
| Non-binding price recommendation  | -2             | 2.669,- |
| Package price PRIME-PACKAGE You save 272,-  | 10u Save 2/2,- |         |

# VANTOURER PACKAGES Ford

| PARKING PACKAGE (components of the package cannot be ordered individually) | + kg | Price   |
|--|------|---------|
| Park-Pilot-System front  |      |         |
| LED-Downlight  |      |         |
| Rear-view camera   |      |         |
| Package price PARK-PACKAGE   |      | 1.490,- |

| ASSISTANCE PACKAGE PLUS (components of the package cannot be ordered individually)                   | + kg | Price   |
|--|------|---------|
| Front Park Pilot system  |      |         |
| LED downlight  |      |         |
| Audio system with 12" multifunction display, SYNC4 and navigation                                    |      |         |
| All-round camera   |      |         |
| Reversing Emergency Brake Assist   |      |         |
| Blind Spot Assist incl. Cross-Traffic Alert  |      |         |
| Lane assist additionally with lane departure warning and lane keep assist                            |      |         |
| Electrically folding, electrically adjustable and heated exterior mirrors with integrated indicators |      |         |
| Adaptive cruise control system with Stop & Go and automatic speed adaption                           |      |         |
| Pre-Collision Assist 2.2   |      |         |
| Package price ASSISTANCE-PACKAGE PLUS  | 10   | 3.990,- |

Errors, omissions, factory-made technical adaptations and misprints excepted. Status: 01.08.2024

